



# HP LaserJet Managed MFP E731 dn Printer series

## Powerful. Flexible. Secure

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers <sup>1</sup> you'll stay secure and simplify fleet management for busy IT pros



## Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows. <sup>2</sup>

## Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware. <sup>3</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency. <sup>4</sup>

## Always on guard with HP Wolf Security. <sup>5</sup>

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. <sup>8</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. <sup>9</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. <sup>7</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet. <sup>10</sup>

## Product walkaround

1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
3. 500-sheet output bin
4. Automatic two-sided printing
5. Easy-access USB port<sup>2</sup>
6. Front door access to toner cartridges
7. HP High-Performance Secure Hard Disk
8. Slot for cable-type security lock
9. SuperSpeed USB 3.0 Host Port
10. Hi-Speed USB 2.0 Host Port
11. Gigabit Ethernet Port
12. SuperSpeed USB 3.0 device port
13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)
15. 10.1 inch (25.6 cm) color touchscreen display
16. Power button
17. Right door access to the print path
18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



## Series at a glance

| Model   | HP LaserJet Managed MFP E731dn                                 |  |  |
|---|--|--|--|
| Product number                                  | 5QJ98A   | 5QJ98A (Base) + 8EP58AAE (Speed license) | 5QJ98A (Base) + 8EP59AAE (Speed license) |
| Print speed (A4 and letter, Black) <sup>3</sup> | Up to 30 ppm   | Up to 35 ppm                             | Up to 40 ppm                             |
| Scan speed (A4 and letter, Black) <sup>4</sup>  | 90 ppm/180 ipm, simplex/duplex                                 |  |  |
| Functions                                       | Print, copy, and scan (fax and wireless optional) (all models) |  |  |
| ADF capacity                                    | 200 sheets   |  |  |
| Input capacity                                  | Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)     |  |  |
| Advanced workflow features                      | No   |  |  |

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

## Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quadcore processor.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quad-core processor.

HP Wolf Enterprise Security provides the world’s most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. <sup>1</sup> We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards <sup>2</sup>; supporting HP’s goal for carbon neutrality and a fully sustainable economy.

## Services and Solutions

|                     |  |
|---------------------|--|
| Service and Support | <p>U04NVE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04NZE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P0E - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P1E - HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P2E - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P3E - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P4E - HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PRE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PSE - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PTE - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PVE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PWPE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PXPE - HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PYPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PZPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04Q0PE - HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04Q1PE - HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U9PR6E - HP A3 Installation Service for E7xxxx/E8xxxx MFP</p> |
| Solutions           | <p><b>Security:</b> HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights</p> <p><b>Mobile and universal print:</b> HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App</p> <p><b>Management:</b> HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator’s Resource Kit</p>  |

| Accessories    |   |
|----------------|---|
| 155P7A         | HP LaserJet InnerFinisher 2/3 Hole Punch  |
| 190A1A         | HP LaserJet Workgroup Lunar Gray Color Panel  |
| 190A6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel             |
| 190A7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel           |
| 190A9A         | HP LaserJet Workgroup Stand Lunar Gray Color Panel                                    |
| 190B1A         | HP LaserJet Workgroup Comet Red Color Panel   |
| 190B6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel              |
| 190B7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel            |
| 190B9A         | HP LaserJet Workgroup Stand Comet Red Color Panel                                     |
| 190C1A         | HP LaserJet Workgroup Cosmic Green Color Panel  |
| 190C6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel           |
| 190C7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel         |
| 190C9A         | HP LaserJet Workgroup Stand Cosmic Green Color Panel                                  |
| 190D1A         | HP LaserJet Workgroup Constellation Yellow Color Panel                                |
| 190D6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel   |
| 190D7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel |
| 190D9A         | HP LaserJet Workgroup Stand Constellation Yellow Color Panel                          |
| 190F1A         | HP LaserJet Workgroup Aurora Purple Color Panel                                       |
| 190F6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel          |
| 190F7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel        |
| 190F9A         | HP LaserJet Workgroup Stand Aurora Purple Color Panel                                 |
| 2NR12A         | HP Removable Hard Drive Enclosure   |
| 2TD64A         | HP Accessibility Kit  |
| 3JN69A         | HP Jetdirect 3100w BLE/NFC/Wireless Accessory   |
| 478C2A         | HP Printing Voice Assistant   |
| 4QL32A         | HP Legic Secure USB Reader  |
| 4XN67A         | Internal USB Expansion Kit  |
| 5QK14A         | HP MFP 810 Analog Dual Fax  |
| 6GW46A         | HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand                                    |
| 6GW48A         | HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand                       |
| 6GW49A         | HP LaserJet Inner Finisher  |
| 6GW51A         | HP LaserJet Booklet Finisher  |
| 6GW52A         | HP LaserJet Workgroup Job Separator   |
| 6GW54A         | HP LaserJet Workgroup Stand   |
| 6GW55A         | HP LaserJet Stapler/Stacker Finisher  |
| 6GW58A         | HP LaserJet Spacer Accessory  |
| 6HN30A         | HP LaserJet Workflow Accelerator Card   |
| 6HN31A         | HP 500GB CCC, FIPS, TAA Hard Disk Drive   |
| 7ZA08A         | HP MFP 800 Analog Single Fax  |
| 8FP31A         | HP Jetdirect LAN Accessory  |
| 9EQ11A         | HP 500GB CCC, FIPS Hard Disk Drive  |
| B5L31A         | HP Foreign Interface Harness  |
| X3D03A         | HP USB Universal Card Reader  |
| Y1G10A         | HP LaserJet Hole Punch 2/3 Accessory  |
| Y1G13A         | HP LaserJet Inner/Booklet Staples   |
| Y1G14A         | HP LaserJet Stapler/Stacker Finisher Staples  |
| Y1G22A         | HP LaserJet Paper Tray Heaters Accessory  |
| Y1G23A         | HP LaserJet Second Exit Accessory   |
| Y7C05A         | HP HIP2 Keystroke Reader  |
| Y7C07A         | HP SIM for HID iClass for HIP2 Reader   |
| Speed Licenses |   |
| 8EP58AAE       | HP LaserJet Managed MFP E731 30 to 35ppm License                                      |
| 8EP59AAE       | HP LaserJet Managed MFP E731 30 to 40ppm License                                      |
| 8LB47AAE       | HP LaserJet Managed MFP E731 35 to 40ppm License                                      |

\* HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

## Technical specifications

|                                   |   |                     |                                     |                                     |
|-----------------------------------|---|---------------------|-------------------------------------|-------------------------------------|
| Functions                         | Print, copy, scan, fax (optional)   |                     |                                     |                                     |
| Print speed <sup>3,4</sup>        | Letter Black  | Up to 30 ppm        | Up to 35 ppm (with 8EP58AAE)        | Up to 40 ppm (with 8EP59AAE)        |
|                                   | A4 Black  | Up to 30 ppm        | Up to 35 ppm (with 8EP58AAE)        | Up to 40 ppm (with 8EP59AAE)        |
|                                   | First page out Letter Black   | As fast as 8.9 sec  | As fast as 8.1 sec (with 8EP58AAE)  | As fast as 7.6sec (with 8EP59AAE)   |
|                                   | First page out A4 Black   | As fast as 8.9 sec  | As fast as 8.1 sec (with 8EP58AAE)  | As fast as 7.6 sec (with 8EP59AAE)  |
| Print resolution                  | <b>Black (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi  |                     |                                     |                                     |
| Print technology                  | Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)   |                     |                                     |                                     |
| Print cartridges number           | 1 (black)   |                     |                                     |                                     |
| Standard print languages          | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible   |                     |                                     |                                     |
| Printer smart software features   | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB   |                     |                                     |                                     |
| Color scanning                    | Yes   |                     |                                     |                                     |
| Scan speed Normal                 | Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Letter ; Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) A4 <b>Duplex:</b> Up to 180 ipm (b&w), up to 180 ipm (color) Letter ; Up to 180 ipm (b&w), up to 180 ipm (color) A4  |                     |                                     |                                     |
| Scan type / Technology            | ADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF  |                     |                                     |                                     |
| Scan resolution                   | <b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi   |                     |                                     |                                     |
| Scan file format                  | Hi-Compression PDF; JPEG; MTIFF; PDF; PDF/A; TIFF; XPS  |                     |                                     |                                     |
| Scan input modes                  | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications   |                     |                                     |                                     |
| Scan Size                         | <b>ADF Maximum:</b> 297 x 420 mm; 11 x 17 in <b>ADF Minimum:</b> 68 x 127 mm; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x 17 in  |                     |                                     |                                     |
| Duplex ADF scanning               | Yes   |                     |                                     |                                     |
| ADF capacity                      | Standard, 200 sheets  |                     |                                     |                                     |
| Twain version                     | Version 2.4   |                     |                                     |                                     |
| Bit depth / Grayscale levels      | 24-bit/256  |                     |                                     |                                     |
| Digital sending standard features | Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten   |                     |                                     |                                     |
| Copy speed                        | Letter Black  | Up to 30 cpm        | Up to 35 cpm (with 8EP58AAE)        | Up to 40 cpm (with 8EP59AAE)        |
|                                   | A4 Black  | Up to 30 cpm        | Up to 35 cpm (with 8EP58AAE)        | Up to 40 cpm (with 8EP59AAE)        |
|                                   | Letter Black Duplex   | Up to 20 cpm        | Up to 23 cpm (with 8EP58AAE)        | Up to 25 cpm (with 8EP59AAE)        |
|                                   | A4 Black Duplex   | Up to 20 cpm        | Up to 23 cpm (with 8EP58AAE)        | Up to 25 cpm (with 8EP59AAE)        |
|                                   | First copy out Letter Black   | As fast as 5.0 sec  | As fast as 4.6 sec (with 8EP58AAE)  | As fast as 4.0 sec (with 8EP59AAE)  |
|                                   | First copy out A4 Black   | As fast as 5.0 sec  | As fast as 4.6 sec (with 8EP58AAE)  | As fast as 4.0 sec (with 8EP59AAE)  |
| Copy resolution                   | <b>Black (text and graphics):</b> ; Up to 600 x 600 dpi   |                     |                                     |                                     |
| Maximum number of copies          | Up to 9999 copies   |                     |                                     |                                     |
| Copier resize                     | 25 to 400%  |                     |                                     |                                     |
| Copier settings                   | Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically straighten   |                     |                                     |                                     |
| Fax speed                         | <b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page   |                     |                                     |                                     |
| Fax resolution                    | <b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 203 x 98 dpi   |                     |                                     |                                     |
| Fax Features                      | <b>Fax memory:</b> Up to 500 pages; Up to 500 pages <b>Auto fax reduction supported:</b> Yes <b>Auto-redialing:</b> Yes <b>Fax delayed sending:</b> No <b>Distinctive ring detection supported:</b> No <b>Fax forwarding supported:</b> Yes <b>Fax phone TAM interface supported:</b> No <b>Fax polling supported:</b> Yes (poll to receive only) <b>Fax telephone mode supported:</b> No <b>Junk barrier supported:</b> Yes <b>Maximum speed dialing numbers:</b> Up to 1000 numbers (each with 210 destinations) <b>PC interface supported:</b> Yes <b>Remote retrieval capability supported:</b> No <b>Telephone handset supported:</b> No |                     |                                     |                                     |
| Standard connectivity             | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)   |                     |                                     |                                     |
| Network capabilities              | Standard (built-in Gigabit 10/100/1000T Ethernet)   |                     |                                     |                                     |
| Wireless capability               | Optional, enabled with purchase of a hardware accessory   |                     |                                     |                                     |
| Mobile printing capability        | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  |                     |                                     |                                     |
| Memory                            | <b>Standard:</b> 6GB; <b>Maximum:</b> 6GB   |                     |                                     |                                     |
| Processor speed                   | Quad Core (1.6GHz), Dual Core (1.4GHz) / <b>Storage:</b> Standard, embedded 500 GB hard disk drive / <b>Hard disk:</b> Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  |                     |                                     |                                     |
| Duty cycle (monthly)              | Letter:   | Up to 110,000 pages | Up to 130,000 pages (with 8EP58AAE) | Up to 150,000 pages (with 8EP59AAE) |
|                                   | A4:   | Up to 110,000 pages | Up to 130,000 pages (with 8EP58AAE) | Up to 150,000 pages (with 8EP59AAE) |
| Recommended monthly page volume   | Up to 20,000  |                     |                                     |                                     |

## Technical specifications

|                                      |   |
|--------------------------------------|---|
| Paper handling                       | <b>Input Capacities:</b> Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; <b>Input Capacities, Max:</b> Up to 3140 sheets; <b>Output Capacities:</b> Up to 500 sheets Standard; Up to 100 sheets; <b>Duplex Options:</b> Automatic; <b>Envelope feeder:</b> No; <b>Standard paper trays:</b> 3   |
| Media types supported                | Plain, HP EcoEICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored  |
| Media weight supported               | Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond; Tray 1: 60 to 300 g/m <sup>2</sup> ; Tray 2, 3: 60 to 220 g/m <sup>2</sup>   |
| Media sizes supported                | <b>Tray 1:</b> Letter, Letter R, Legal, Executive, Statement, Oficio8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; <b>Tray 2:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; <b>Tray 3:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k <b>Tray 1:</b> A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; <b>Tray 2:</b> A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; <b>Tray 3:</b> A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k  |
| Media Sizes Custom                   | Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm   |
| What's in the box                    | 5QJ98A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums  |
| Replacement cartridges <sup>1</sup>  | HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC  |
| Product dimensions                   | <b>W x d x h:</b> 585 x 646 x 858.1 mm; 23 x 25.4 x 33.8 in <b>Maximum:</b> 1681 x 1196 x 1191 mm; 66.2 x 47.1 x 46.9 in  |
| Product weight                       | 63 kg; 138.9 lb   |
| Warranty features                    | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to <a href="http.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region   |
| Energy star certified                | Yes   |
| Ecolabels                            | EPEAT <sup>®</sup> registered; IT ECO Declaration; Blue Angel   |
| Control panel                        | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  |
| Display description                  | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)  |
| Software included                    | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a>   |
| Compatible operating systems         | Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS   |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> , Linux- For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information see <a href="http://hp.com/go/unixmodelscrips">http://hp.com/go/unixmodelscrips</a> , Linux- For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information see <a href="http://hp.com/go/unixmodelscrips">http://hp.com/go/unixmodelscrips</a> , (All operating systems with the latest updates) |
| Minimum system requirements          | PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://apple.com">apple.com</a>  |
| Power                                | <b>Power supply type:</b> Internal (Built-in) power supply; <b>Power requirements:</b> Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption:</b> 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)   |
| Acoustics                            | <b>Acoustic power emissions:</b> 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; <b>Acoustic Pressure Emissions (active, printing):</b> 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; <b>Acoustic Pressure Emissions (active scan):</b> 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm  |
| Operating environment                | <b>Operating temperature range:</b> 15 to 30°C 59 to 86°F; <b>Recommended operating temperature:</b> 15 to 30°C 59 to 86°F; <b>Storage temperature range:</b> -10 to 40°C 14 to 104°F; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended humidity operating range:</b> 20 to 80% RH   |

### Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: [hp.com/PrintersThatProtect](http.com/PrintersThatProtect) For more information, visit: [hp.com/go/PrinterSecurityClaims](http.com/go/PrinterSecurityClaims)
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature
- HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](http.com/go/webjetadmin)
- HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details
- Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT<sup>®</sup> registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers
- 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See [hp.com/go/TonerRecycledContent](http.com/go/TonerRecycledContent) for list.
- Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic
- HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

### Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsplies>.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)



To learn more, visit [hp.com](http.com)

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

September 2022



# HP LaserJet Managed Flow MFP E731z Printer series



## Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers <sup>1</sup> you'll stay secure and simplify fleet management for busy IT pros



## Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows. <sup>2</sup>

## Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware. <sup>3</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency. <sup>4</sup>

## Always on guard with HP Wolf Security. <sup>5</sup>


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. <sup>8</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. <sup>9</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. <sup>7</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet. <sup>10</sup>

## Product walkaround

1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
3. 500-sheet output bin
4. Automatic two-sided printing
5. Easy-access USB port<sup>2</sup>
6. Front door access to toner cartridges
7. HP High-Performance Secure Hard Disk
8. Slot for cable-type security lock
9. SuperSpeed USB 3.0 Host Port
10. Hi-Speed USB 2.0 Host Port
11. Gigabit Ethernet Port
12. SuperSpeed USB 3.0 device port
13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)
15. 10.1 inch (25.6 cm) color touchscreen display
16. Power button
17. Full size keyboard
18. Right door access to the print path
19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



## Series at a glance

| Model   | HP LaserJet Managed Flow MFP E731z  |  |  |
|---|---|--|--|
| Product number                                  | 5QK02A  | 5QK02A (Base) + 8EP58AAE (Speed license) | 5QK02A (Base) + 8EP59AAE (Speed license) |
| Print speed (A4 and letter, Black) <sup>3</sup> | Up to 30 ppm  | Up to 35 ppm                             | Up to 40 ppm                             |
| Scan speed (A4 and letter, Black) <sup>4</sup>  | 120 ppm/240 ipm, simplex/duplex   |  |  |
| Functions                                       | Print, copy, and scan (fax and wireless optional) (all models)  |  |  |
| ADF capacity                                    | 200 sheets  |  |  |
| Input capacity                                  | Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)  |  |  |
| Advanced workflow features                      | HP EveryPage technology, <sup>5</sup> full size keyboard, embedded OCR, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation |  |  |

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>5</sup> HP EveryPage Technology is powered by ultrasonic multi-feed detection.

## Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quad-core processor.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP’s custom designed quad-core processor.

HP Wolf Enterprise Security provides the world’s most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. <sup>1</sup> We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards <sup>7</sup>; supporting HP’s goal for carbon neutrality and a fully sustainable economy.

## Services and Solutions

|                     |  |
|---------------------|--|
| Service and Support | <p>U04NYE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04NZE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P0E - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P1E - HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P2E - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P3E - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04P0E - HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PRE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PSE - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PTE - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PVE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04PWPE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PYPE - HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PYPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04PZPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx</p> <p>U04Q0PE - HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U04Q1PE - HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only)</p> <p>U9PR6E - HP A3 Installation Service for E7xxxx/EBxxxx MFP</p> |
| Solutions           | <p><b>Security:</b> HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights</p> <p><b>Mobile and universal print:</b> HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App</p> <p><b>Management:</b> HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator’s Resource Kit</p>  |

| Accessories    |   |
|----------------|---|
| 155P7A         | HP LaserJet InnerFinisher 2/3 Hole Punch  |
| 190A1A         | HP LaserJet Workgroup Lunar Gray Color Panel  |
| 190A6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel             |
| 190A7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel           |
| 190A9A         | HP LaserJet Workgroup Stand Lunar Gray Color Panel                                    |
| 190B1A         | HP LaserJet Workgroup Comet Red Color Panel   |
| 190B6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel              |
| 190B7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel            |
| 190B9A         | HP LaserJet Workgroup Stand Comet Red Color Panel                                     |
| 190C1A         | HP LaserJet Workgroup Cosmic Green Color Panel  |
| 190C6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel           |
| 190C7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel         |
| 190C9A         | HP LaserJet Workgroup Stand Cosmic Green Color Panel                                  |
| 190D1A         | HP LaserJet Workgroup Constellation Yellow Color Panel                                |
| 190D6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel   |
| 190D7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel |
| 190D9A         | HP LaserJet Workgroup Stand Constellation Yellow Color Panel                          |
| 190F1A         | HP LaserJet Workgroup Aurora Purple Color Panel                                       |
| 190F6A         | HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel          |
| 190F7A         | HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel        |
| 190F9A         | HP LaserJet Workgroup Stand Aurora Purple Color Panel                                 |
| 2NR12A         | HP Removable Hard Drive Enclosure   |
| 2TD64A         | HP Accessibility Kit  |
| 3JN69A         | HP Jetdirect 3100w BLE/NFC/Wireless Accessory   |
| 478C2A         | HP Printing Voice Assistant   |
| 4QL32A         | HP Legic Secure USB Reader  |
| 4XN67A         | Internal USB Expansion Kit  |
| 5QK14A         | HP MFP 810 Analog Dual Fax  |
| 6GW46A         | HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand                                    |
| 6GW48A         | HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand                       |
| 6GW49A         | HP LaserJet Inner Finisher  |
| 6GW51A         | HP LaserJet Booklet Finisher  |
| 6GW52A         | HP LaserJet Workgroup Job Separator   |
| 6GW54A         | HP LaserJet Workgroup Stand   |
| 6GW55A         | HP LaserJet Stapler/Stacker Finisher  |
| 6GW58A         | HP LaserJet Spacer Accessory  |
| 6HN30A         | HP LaserJet Workflow Accelerator Card   |
| 6HN31A         | HP 500GB CCC, FIPS, TAA Hard Disk Drive   |
| 7ZA08A         | HP MFP 800 Analog Single Fax  |
| 8FP31A         | HP Jetdirect LAN Accessory  |
| 9EQ11A         | HP 500GB CCC, FIPS Hard Disk Drive  |
| B5L31A         | HP Foreign Interface Harness  |
| X3D03A         | HP USB Universal Card Reader  |
| Y1G10A         | HP LaserJet Hole Punch 2/3 Accessory  |
| Y1G13A         | HP LaserJet Inner/Booklet Staples   |
| Y1G14A         | HP LaserJet Stapler/Stacker Finisher Staples  |
| Y1G22A         | HP LaserJet Paper Tray Heaters Accessory  |
| Y1G23A         | HP LaserJet Second Exit Accessory   |
| Y7C05A         | HP HIP2 Keystroke Reader  |
| Y7C07A         | HP SIM for HID iClass for HIP2 Reader   |
| Speed Licenses |   |
| 8EP58AAE       | HP LaserJet Managed MFP E731 30 to 35ppm License                                      |
| 8EP59AAE       | HP LaserJet Managed MFP E731 30 to 40ppm License                                      |
| 8LB47AAE       | HP LaserJet Managed MFP E731 35 to 40ppm License                                      |

\* HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.



## Technical specifications

|                                   |  |                     |                                     |                                     |
|-----------------------------------|--|---------------------|-------------------------------------|-------------------------------------|
| Functions                         | Print, copy, scan, fax (optional)  |                     |                                     |                                     |
| Print speed <sup>3,4</sup>        | Letter Black   | Up to 30 ppm        | Up to 35 ppm (with 8EP58AAE)        | Up to 40 ppm (with 8EP59AAE)        |
|                                   | A4 Black   | Up to 30 ppm        | Up to 35 ppm (with 8EP58AAE)        | Up to 40 ppm (with 8EP59AAE)        |
|                                   | First page out Letter Black  | As fast as 8.9 sec  | As fast as 8.1 sec (with 8EP58AAE)  | As fast as 7.6sec (with 8EP59AAE)   |
|                                   | First page out A4 Black  | As fast as 8.9 sec  | As fast as 8.1 sec (with 8EP58AAE)  | As fast as 7.6 sec (with 8EP59AAE)  |
| Print resolution                  | <b>Black (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi   |                     |                                     |                                     |
| Print technology                  | Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)  |                     |                                     |                                     |
| Print cartridges number           | 1 (black)  |                     |                                     |                                     |
| Standard print languages          | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible  |                     |                                     |                                     |
| Printer smart software features   | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB  |                     |                                     |                                     |
| Color scanning                    | Yes  |                     |                                     |                                     |
| Scan speed Normal <sup>5</sup>    | Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Letter ; Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) A4 <b>Duplex:</b> Up to 240 ipm (b&w), up to 240 ipm (color) Letter ; Up to 240 ipm (b&w), up to 240 ipm (color) A4   |                     |                                     |                                     |
| Scan type / Technology            | ADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF   |                     |                                     |                                     |
| Scan resolution                   | <b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi  |                     |                                     |                                     |
| Scan file format                  | PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)   |                     |                                     |                                     |
| Scan input modes                  | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXF), HP Workpath applications  |                     |                                     |                                     |
| Scan Size                         | <b>ADF Maximum:</b> 297 x 420 mm; 11 x 17 in <b>ADF Minimum:</b> 68 x 127 mm; 2.7 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x 17 in   |                     |                                     |                                     |
| Scanner advanced features         | Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps   |                     |                                     |                                     |
| Duplex ADF scanning               | Yes  |                     |                                     |                                     |
| ADF capacity                      | Standard, 200 sheets   |                     |                                     |                                     |
| Twain version                     | Version 2.4  |                     |                                     |                                     |
| Bit depth / Grayscale levels      | 24-bit/256   |                     |                                     |                                     |
| Digital sending standard features | Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination, embedded OCR; auto-tone, auto orientation, auto~page~crop; multi-feed detection; document editing; auto paper color removal; job separation; automatically straighten |                     |                                     |                                     |
| Copy speed                        | Letter Black   | Up to 30 cpm        | Up to 35 cpm (with 8EP58AAE)        | Up to 40 cpm (with 8EP59AAE)        |
|                                   | A4 Black   | Up to 30 cpm        | Up to 35 cpm (with 8EP58AAE)        | Up to 40 cpm (with 8EP59AAE)        |
|                                   | Letter Black Duplex  | Up to 20 cpm        | Up to 23 cpm (with 8EP58AAE)        | Up to 25 cpm (with 8EP59AAE)        |
|                                   | A4 Black Duplex  | Up to 20 cpm        | Up to 23 cpm (with 8EP58AAE)        | Up to 25 cpm (with 8EP59AAE)        |
|                                   | First copy out Letter Black  | As fast as 5.0 sec  | As fast as 4.6 sec (with 8EP58AAE)  | As fast as 4.0 sec (with 8EP59AAE)  |
|                                   | First copy out A4 Black  | As fast as 5.0 sec  | As fast as 4.6 sec (with 8EP58AAE)  | As fast as 4.0 sec (with 8EP59AAE)  |
| Copy resolution                   | <b>Black (text and graphics):</b> ; Up to 600 x 600 dpi  |                     |                                     |                                     |
| Maximum number of copies          | Up to 9999 copies  |                     |                                     |                                     |
| Copier resize                     | 25 to 400%   |                     |                                     |                                     |
| Copier settings                   | Booklet; Collation; Content orientation; Crop; Edge Erase; ID Scan; Image adjustment; Job build; Job storage; N or Z-ordering; N-up; Scalability; Text/Photo; Two-sided copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image shift; Image preview; Paper selection; Blank page suppression; Automatically straighten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Job separation   |                     |                                     |                                     |
| Fax speed                         | <b>Up to:</b> 33.6 kbps / <b>Letter:</b> 3 sec per page  |                     |                                     |                                     |
| Fax resolution                    | <b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 203 x 98 dpi  |                     |                                     |                                     |
| Fax Features                      | <b>Fax memory:</b> Up to 500 pages; <b>Up to 500 pages Auto fax reduction supported:</b> Yes <b>Auto-redialing:</b> Yes <b>Fax delayed sending:</b> No <b>Distinctive ring detection supported:</b> No <b>Fax forwarding supported:</b> Yes <b>Fax phone TAM interface supported:</b> No <b>Fax polling supported:</b> Yes (poll to receive only) <b>Fax telephone mode supported:</b> No <b>Junk barrier supported:</b> Yes <b>Maximum speed dialing numbers:</b> Up to 1000 numbers (each with 210 destinations) <b>PC interface supported:</b> Yes <b>Remote retrieval capability supported:</b> No <b>Telephone handset supported:</b> No  |                     |                                     |                                     |
| Standard connectivity             | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)  |                     |                                     |                                     |
| Network capabilities              | Standard (built-in Gigabit 10/100/1000T Ethernet)  |                     |                                     |                                     |
| Wireless capability               | Optional, enabled with purchase of a hardware accessory  |                     |                                     |                                     |
| Mobile printing capability        | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print   |                     |                                     |                                     |
| Memory                            | Standard:6GB; Maximum:6GB  |                     |                                     |                                     |
| Processor speed                   | Quad Core (1.6GHz), Dual Core (1.4GHz) / <b>Storage:</b> Standard, embedded 500 GB hard disk drive / <b>Hard disk:</b> Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)   |                     |                                     |                                     |
| Duty cycle (monthly)              | Letter:  | Up to 110,000 pages | Up to 130,000 pages (with 8EP58AAE) | Up to 150,000 pages (with 8EP59AAE) |
|                                   | A4:  | Up to 110,000 pages | Up to 130,000 pages (with 8EP58AAE) | Up to 150,000 pages (with 8EP59AAE) |
| Recommended monthly page volume   | Up to 20,000   |                     |                                     |                                     |

## Technical specifications

|                                      |   |
|--------------------------------------|---|
| Paper handling                       | <b>Input Capacities:</b> Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; <b>Input Capacities, Max:</b> Up to 3140 sheets; <b>Output Capacities:</b> Up to 500 sheets Standard; Up to 100 sheets; <b>Duplex Options:</b> Automatic; <b>Envelope feeder:</b> No; <b>Standard paper trays:</b> 3   |
| Media types supported                | Plain, HP EcoEICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored  |
| Media weight supported               | Tray 1: 16 to 79.5 lb bond; Tray 2, 3: 16 to 58.5 lb bond; Tray 1: 60 to 300 g/m <sup>2</sup> ; Tray 2, 3: 60 to 220 g/m <sup>2</sup>   |
| Media sizes supported                | <b>Tray 1:</b> Letter, Letter R, Legal, Executive, Statement, Oficio8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; <b>Tray 2:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; <b>Tray 3:</b> Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k <b>Tray 1:</b> A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; <b>Tray 2:</b> A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; <b>Tray 3:</b> A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k  |
| Media Sizes Custom                   | Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm   |
| What's in the box                    | <b>5QK02A</b> In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.  |
| Replacement cartridges <sup>1</sup>  | HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC  |
| Product dimensions                   | <b>W x d x h:</b> 640.8 x 725.5 x 858.1 mm; 25.2 x 28.6 x 33.8 in <b>Maximum:</b> 1681 x 1196 x 1191 mm; 66.2 x 47.1 x 46.9 in  |
| Product weight                       | 64.4 kg; 142.0 lb   |
| Warranty features                    | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region.   |
| Energy star certified                | Yes   |
| Ecolabels                            | EPEAT® registered; IT ECO Declaration; Blue Angel   |
| Control panel                        | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  |
| Display description                  | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)  |
| Software included                    | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a>   |
| Compatible operating systems         | Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS   |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> , Linux- For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> , Linux- For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a> , Unix- For more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> , (All operating systems with the latest updates) |
| Minimum system requirements          | <b>PC:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://apple.com">apple.com</a>   |
| Power                                | <b>Power supply type:</b> Internal (Built-in) power supply; <b>Power requirements:</b> Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); <b>Power consumption:</b> 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)   |
| Acoustics                            | <b>Acoustic power emissions:</b> 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; <b>Acoustic Pressure Emissions (active, printing):</b> 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; <b>Acoustic Pressure Emissions (active scan):</b> 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm  |
| Operating environment                | <b>Operating temperature range:</b> 15 to 30°C 59 to 86°F; <b>Recommended operating temperature:</b> 15 to 30°C 59 to 86°F; <b>Storage temperature range:</b> -10 to 40°C 14 to 104°F; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended humidity operating range:</b> 20 to 80% RH   |

### Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect) For more information, visit: [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims)
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature
- HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin)
- HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details
- Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers
- 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See [hp.com/go/TonerRecycledContent](http://hp.com/go/TonerRecycledContent) for list.
- Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic
- HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

### Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)



To learn more, visit [hp.com](http://hp.com)

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

September 2022

